




MISTRAL USER MANUAL

****Important Safety Information****

1. Read the Manual: Before using this equipment, carefully read the user manual provided. Familiarise yourself with its features, functions, and safety precautions.
2. Power Supply: Ensure that the equipment is connected to a properly grounded power source. Only use power supply with the specified voltage and current ratings. Avoid overloading power outlets or using extension cords excessively.
3. Inspect Regularly: Periodically inspect the equipment for signs of wear, damage, or worn cables. If you notice any issues, discontinue use immediately and seek professional assistance.
4. Avoid Water Exposure: Keep the equipment away from water, moisture, and damp environments. Do not operate it with wet hands.
5. Unplug During Maintenance: Always unplug the equipment before cleaning, servicing, or performing maintenance.
6. Overheating: If the equipment becomes unusually hot during operation, turn it off and allow it to cool down. Prolonged overheating can lead to malfunction or fire.
7. Child Safety: Keep electrical equipment out of reach of children. Children should not operate or tamper with it without adult supervision.
8. Emergency Situations: In case of smoke, sparks, or unusual odours, disconnect the equipment immediately and contact a qualified electrician.
11. Authorized Repairs: Do not attempt to repair the equipment yourself. Seek professional repair services from authorized technicians.
12. Disposal: Dispose of old or malfunctioning electrical equipment properly. Follow local regulations for recycling or disposal.

Remember that safety is important. If you have any doubts or encounter issues, consult us or a certified electrician.

SERVICING AND MAINTENANCE INSTRUCTIONS

Installation requirements

240 V single phase power source.

01

Before installation or servicing, turn off the unit, preferably switching off at power source.

02

Open the unit door using the dedicated key (turn to left) anti clockwise.

03

Remove Vapour Gel container.

04

Remove the lid if it is on. Top up product or clean at container if necessary (See 05 Below)


05

If product is fully used, dispose of any residue, into the waste bin (do not dispose of residue into sink) Rinse, clean and dry the container.

06

Wipe out unit if required





07

Fill container to desired level with Ozona Vapour Gel.

08

Replace container back into Mistral Unit (lid can be placed under the container).

09

Position the container to the left-hand side.

10

Close unit with key clockwise.

11

Connect power supply to unit, plug into wall socket and switch on.

12

Switch on and set fan speed to desired level using the control knob. LED brightness will increase as the fan speed increases.

NeuSolutions

Specifications are subject to change without notice.
Copy or reproduction without permission is prohibited
www.neusolutions.com.au
Neu Solutions Australia All Rights Reserved.
Version 1.0

INSTALLATION REQUIREMENT (fixed unit)

240 V single phase power source.

01

Select a suitable position to install the Mistral unit. Ideally, choose a location that provides maximum exposure to the primary odour source and is within reach of the power supply. Avoid locating near exhaust outlets or open spaces that will draw the neutralising vapour away from the odour source or area to be treated.

02

Locate and drill two holes 266mm apart for the support screws.

03


Support Mistral unit on the installed screw. Secure the unit on the wall.

04

Connect power supply to power outlet and to 12V socket on Mistral control Box.

05

Installation is complete.



NeuSolutions

Specifications are subject to change without notice.
Copy or reproduction without permission is prohibited

www.neusolutions.com.au

Neu Solutions Australia All Rights Reserved.

Version 1.0